

NITECORE®

SYSMAX CORP.

www.nitecore.com

SYSMAX Innovations Co., Ltd.

Rm 2601-06, Central Tower, No.5 Xiancun Road, Tianhe
District, Guangzhou, 510623, Guangdong, China
Tel: +86 20 83862000 Fax: +86 20 83882723
E-mail: info@nitecore.com

NITECORE®

0512PCT20

TACTICAL

Product Catalogue

NITECORE®



02 About NITECORE

12 Tactical Lighting

- 14 Portable Lights
- 36 Signal Lights
- 38 Helmet Lights
- 40 Weapon Mount Lights
- 41 Accessories

48 Power Solution

- Chargers 50
- Outdoor Power 52

54 Tactical Gear

- 56 Titanium/Aluminum Collection
- 57 Optics
- 58 Tactical Backpacks
- 63 Tactical Belt Pads

64 Body Armor and Packs

- Body Armors 66
- Lightweight Assault System 67

74 Apparel

- 76 Base Layer
- 78 Tactical Layer
- 80 Insulation Layer
- 82 Shell

CONTENTS



www.nitecore.com

PLATO®



NCAGE CODE
SZQ19



2007

MK2



2008

ND1



D10

2009



2010

IFE1



2011

TM11



2012

EA4



2013

SRT7



2014



CR6

ABOUT NITECORE

With the industry-leading innovative power for 13 years, NITECORE is the first brand to achieve a grand-slam milestone in the industries of professional lighting and chargers to receive the German iF Design Award, Red Dot Design Award, the Japanese G-Mark (Good Design) and the American IDEA, as well as Gold Winners of the ISPO Award and Outstanding Outdoor globally recognized in the outdoor industry.

We specialize in product lines varying from tactical flashlights to outdoor lighting equipment and power solutions specially designed for law enforcement and military departments, industrial corporations and outdoor enthusiasts worldwide. Our partners include Tor des Géants, HK100, Rio 2016 Summer Olympics in Brazil and Supreme. Operating in full compliance with ISO9001 and qualified as China's High and New Technology Enterprise (HNTE), NITECORE and its factories have set the most exacting production and testing standards to ensure quality and performance. Our products have gained multiple certifications including CE, RoHS, FCC, CEC, REACH, KC, C-TICK and more. All batteries and chargers are globally insured by Ping An Insurance Group.

2016



MH27



TM10K
2018



EC4S



2015



GOOD DESIGN

2017



LA10/
LA10CRI



TUP
2019



i4000R

2020



PRODUCT AWARDS

Established in 2007, Nitecore has long been at the forefront of technological advancement in portable illumination. Through its tremendous research and development capacity, Nitecore has become the first brand in the professional lighting and illumination industry to receive all four grand international design prizes including the American IDEA, the German iF Design Award, Red Dot Design Award and the Japanese G-Mark (Good Design), in addition to the worldly famous ISPO Award in the outdoor industry. Nitecore products are internationally recognized in over 100 countries.

NPS200/NPS400 Portable Outdoor Power Stations	 ISPO Award 2020 Winner
TINI SS 380 Lumens 	HC65 & F4 Triple Output Headlamp & Power Bank
LA10 / LA10 CRI Lipstick Camping Light 	LC10 Magnetic Outdoor USB Charger
R25 800 Lumens 	MH27 1000 Lumens
SRT9 2150 Lumens 	VCL10 All-in-One Vehicle Gadget
F2 Flexbank 	i8 8-slot Intellicharger
Concept 1 1800 Lumens 	NU05 35 Lumens Headlamp Mate
EC4S 2150 Lumens 	CR6 440 Lumens

MEDIA RECOGNITION

 i4000R 2020 10 Best Tactical Flashlights in 2020 	 NEW P12 2020 The Best 18650 Lights in 2020
 P20 2018 BEST SELF DEFENSE FLASHLIGHTS 	 P20 2017 BEST TACTICAL FLASHLIGHTS
 MH25GT 2020 Best Rechargeable Flashlights 2020 	 MH25GT 2017 Best Tactical Flashlights Under \$100 (Best Long Range)
 MH12GT 2017 Best EDC Flashlights (Best Self-Regulating Flashlight) 	 MH12 2018 BEST RECHARGEABLE EDC FLASHLIGHTS
 MH12 2017 Best USB Rechargeable Flashlights 	 BP20 2017 Winner of Small Backpacks
 NTP30 2020 The Best Bolt-Action Pens for EDC in 2020 	 NTP30 2019 Best EDC Finalists - The Seventh Annual Carry Awards



PATENT

With advanced technologies and technical personnel, Nitecore has been keeping innovating for over the years and has harvested over one hundred invention patents and utility model patents.



INNOVATIVE STROBE
READY™ SYSTEM



THE INDUSTRY'S FIRST
FLASHLIGHT UTILIZING
INDUCTIVE CHARGING
TECHNOLOGY



INNOVATIVE ACTIVE DIMMING
TECHNOLOGY (ADT)



INNOVATIVE UNIQUE
INTEGRATED
TECHNOLOGY (UIT)



ADVANCED TEMPERATURE
REGULATION (ATR)
TECHNOLOGY



INNOVATIVE TWO STAGE
SWITCH



INNOVATIVE MULTIMETER
FUNCTIONALITY




INNOVATIVE MULTI-OUTPUT
FLASHLIGHT SERIES



POWER INDICATOR TO
INDICATE THE BATTERY LEVEL
AND BATTERY VOLTAGE



INNOVATIVE FIXABLE/360°
ROTATABLE FLASHLIGHT
HOLSTER



THE FIRST COAXIAL DUAL
OUTPUT HEADLAMP DESIGN
IN THE INDUSTRY



ALL-IN-ONE HIGHLY
COMPATIBLE AND
INTELLIGENT CHARGER SERIES

ON-SCREEN MOMENTS



TM26



MH40GT/MH40GTR



TM28




Various Products



TM26GT



MT2A&P12



MT40/MT40GT



HC60



HC50



SRT7/SRT7GT



STROBE READY™

In law enforcement, the strobe flashlight for self-defense is used on potential suspects who may present a danger but are not lethally armed. The strobe light is disorienting to the person it is aimed at which makes it difficult for them to concentrate. Also, they avert their eyes away from the strobing effect. This means it is easier for the police to subdue successfully and control the suspect.



STROBE READY™
ULTIMATE ONE-HANDED OPERATION

2nd Generation STROBE READY™ Technology

- 1 Specially designed for tactical applications to enable a quick access to STROBE Mode (Patent No.: ZL201320545349.4)
- 2 Inset pedal design to avoid accidental activation (US Patent No.: 15/846299 US10237955B1)

STROBE READY™ Models:
P10 V2, P20UV, P20 V2, P22R, i4000R, C17



ADVANCED RANDOMLY CHANGING STROBE MODE

The randomly changing frequencies available in the STROBE Mode of latest NITECORE models can cause stronger dizzying effects due to the inadaptability of the naked eyes.

Models with Randomly Changing STROBE Mode:
NEW P12, P12GTS, P18, P22R, i4000R, C17, MH12GTS, MH12 V2, MH25GTS






ULTRAVIOLET & INFRARED

The UV light has shorter wavelengths than visible light, and is also known as black light. Ultraviolet LED flashlights are useful in many applications, including identifying forged documents, tracing marked bills, leakage/grease inspection, sanitary check, hunting scorpions etc.
The IR light is with wavelengths longer than those of visible light. Extensive uses for military and civilian applications include target acquisition, surveillance, night vision, homing, and tracking.

Ultraviolet Models: P20UV, CU6, MH27UV, THUMB LEO, TIKI
Infrared Models: CI7, NU05 MI



TURBOREADY™

NITECORE aims to lead a trend of new tactics with the TurboReady™ technology to enable an instant dazzle strike with a blazing tactical output, in order to produce an abrupt disturbance to your adversary during the day or at night.

NITECORE TurboReady™ Models: TM9K



TURBOREADY™
Mode Button

Tactical Lighting

Tiny Monster Series

All of our groundbreaking Tiny Monster models have thoroughly changed the way people think about portable lights, and more importantly, what they actually carry and use. Created for search and rescue as well as outdoor adventures, our Tiny Monster series is now employed in countless professional applications where bright lighting is needed.

► TM9K



TurboReady™ Ultra Compact Tactical Flashlight

Specifications

+ Rechargeable

- + Runtime on lowest output level: 60h
- + 9 CREE XP-L HD V6 LEDs
- + Built-in rechargeable Li-ion battery

9500
Lumens

268
Meters

Features

- + 2nd Generation Inset Pedal Design with dual tail switches
- + The power indicator indicates the remaining battery power
- + Lockout mode available for safe storage




Law
Enforcement



Search
& Rescue



Self
Defense



Built-in **5000mAh**
Energizing 21700 Li-ion Battery

Ultra Compact and Lightweight Body



9500
Lumens

TURBO/READY™
Mode Button

► TM39

Ultra High Performance Superior Searchlight



Search
& Rescue

Specifications

+ Rechargeable

- + Runtime on lowest output level: 36h
- + LUMINUS SBT-90 GEN2 LED
- + NBP68 HD Battery Pack

5200
Lumens

1500
Meters

Features

- + Dual side switches specially designed for glove users
- + Integrated multi-function OLED display
- + Lockout mode available



► TM39 Lite

Ultra High Performance Superior Searchlight



Search
& Rescue

Specifications

+ Rechargeable

- + Runtime on lowest output level: 20h
- + LUMINUS SBT-90 GEN2 LED
- + Powered by 4x18650 Batteries

5200
Lumens

1500
Meters

Features

- + Dual side switches specially designed for glove users
- + Integrated multi-function OLED display
- + Lockout mode available



► TM10K



Compact and Intelligent Sharp Light

Specifications

+ Rechargeable

- + Runtime on lowest output level: 200h
- + 6 CREE XHP35 HD LEDs
- + Built-in rechargeable Li-ion battery

10000
Lumens

288
Meters

Features

- + Combination of dual side switches and a tail switch
- + Multifunctional OLED real-time display
- + Two lockout modes available



Law
Enforcement



Search
& Rescue



Self
Defense

Precise Series

NITECORE Precise Series flashlights are highly innovative illumination tools purpose-designed for law enforcement, hunting and tactical applications. With incredible user-interface design, these lights allow easy access to all modes and brightness levels. With blazingly bright output in TURBO/STROBE mode, exceptionally long runtimes in LOW mode and unique gun-mounting functionality, the Precise Series flashlights are the ultimate lighting tools for increased tactical effectiveness.

► P10 V2

STROBE READY™ Ultra Compact Tactical Flashlight

Specifications

- + Runtime on lowest output level: 55h
- + CREE XP-L2 V6 LED
- + 1x18650 Battery
- + 2xCR123 Batteries

1100
Lumens

201
Meters

STROBE READY!
ULTIMATE ONE-HANDED OPERATION

Features

- + NTR10 Tactical Ring Pro compatible
- + 2nd Generation Inset Pedal Design with dual tail switches
- + Anti-impact reverse polarity protection mechanism for shooting sports
- + 3 user modes available and easily selectable
- + The power indicator indicates the remaining battery power

NTH10



Low
Enforcement



Self
Defense



Weapon
Mounted



► P18

Unibody Die-cast Futuristic Tactical Flashlight

Specifications

- + Runtime on lowest output level: 220h
- + CREE XHP35 HD LED
- + 1x18650 Battery
- + 2xCR123 Batteries

1800
Lumens

182
Meters

Features

- + The silent tactical tail switch enables silent operation of the white light
- + The side switch controls the auxiliary red light independently
- + STROBE Mode uses randomly changing frequencies for stronger dizzying effects
- + The auxiliary red LED indicates the remaining battery power



Self
Defense

► P20 V2

STROBE READY™ High Performance Tactical Flashlight

Specifications

- + Runtime on lowest output level: 55h
- + CREE XP-L2 V6 LED
- + 1x18650 Battery
- + 2xCR123 Batteries

1100
Lumens

222
Meters

STROBE READY!
ULTIMATE ONE-HANDED OPERATION

Features

- + NTR10 Tactical Ring Pro compatible
- + 2nd Generation Inset Pedal Design with dual tail switches
- + Anti-impact reverse polarity protection mechanism for shooting sports
- + Strike bezel uses high strength silicon nitride ceramics
- + 3 user modes available and easily selectable
- + The power indicator indicates the remaining battery power



NTH20



Low
Enforcement



Weapon
Mounted



Self
Defense



► P20 UV

STROBE READY™ Tactical UV Flashlight

Specifications

- + Runtime on lowest output level: 15h30min
- + CREE XM-L2 U2 LED
- + 1x18650 Battery
- + 2xCR123 Batteries
- + 365nm Ultraviolet Light

800
Lumens

320
mW

STROBE READY!
ULTIMATE ONE-HANDED OPERATION

Features

- + White + UV dual light sources
- + Dual tail switch design
- + 3 user modes available and easily selectable
- + The power indicator indicates the remaining battery power



Low
Enforcement

► P22R



STROBE READY™ Ultimate Performance Tactical Flashlight

Specifications

- + Runtime on lowest output level: 250h
- + CREE XHP35 HD LED
- + 1x18650 Battery
- + 2xCR123 Batteries

1800
Lumens

262
Meters

STROBE READY!
ULTIMATE ONE-HANDED OPERATION

Features

- + NTR10 Tactical Ring Pro compatible
- + 2nd Generation Inset Pedal Design with dual tail switches
- + Strike bezel uses high strength silicon nitride ceramics
- + STROBE Mode uses randomly changing frequencies for stronger dizzying effects
- + 3 user modes available and easily selectable
- + The power indicator indicates the remaining battery power



Law
Enforcement



Weapon
Mounted



Self
Defense



NTH20



NTR10

USB-C Charging Port Rotatable Protective Cover



► NEW P30

Next Generation 21700 Searchlight

Specifications

- + Runtime on lowest output level: 950h
- + CREE XP-L HI V3 LED
- + 1x21700 Battery
- + 1x18650 Battery
- + 2xCR123 Batteries

1000
Lumens

618
Meters

Features

- + STROBE Mode uses randomly changing frequencies for stronger dizzying effects
- + Combination of a tail switch and a side switch
- + The power indicator indicates the remaining battery power



Law
Enforcement



Weapon
Mounted



Search
& Rescue



NEW P30 KIT



618 Meters Ultra Long Throw

Mode Button

For Brightness Level or Mode Selection



Tactical Tail Switch

Always ready for tactical momentary-on or constant-on





► NEW P12

Next Generation 21700 Tactical Flashlight

Specifications

- + Runtime on lowest output level: 1200h
- + CREE XP-L HD V6 LED
- + 1x21700 Battery
- + 1x18650 Battery
- + 2xCR123 Batteries

1200
Lumens

238
Meters

Features

- + NTR10 Tactical Ring Pro compatible
- + Tactical Mode and Daily Mode available
- + STROBE Mode uses randomly changing frequencies for stronger dizzying effects
- + Combination of a tail switch and a side switch
- + The power indicator indicates the remaining battery power



NTH10



NTR10



Law
Enforcement



Search
& Rescue



Self
Defense



Law
Enforcement



Self
Defense



Weapon
Mounted



► P12

Ultra Compact Easily Operable Tactical Flashlight

Specifications

- + Runtime on lowest output level: 520h
- + Cree XM-L2 U2 LED
- + 1x18650 Battery
- + 2xCR123 Batteries

1000
Lumens

232
Meters

Features

- + Anti-impact reverse polarity protection mechanism for shooting sports
- + Combination of a tail switch and a side switch
- + The power indicator indicates the remaining battery power

Smart Ring Tactical Series

The Smart Ring Tactical Series features the 3rd generation of Smart Selector Ring and multiple colored LEDs in a compact flashlight. The unique and user-friendly interface offers a swift and easy access to various brightness levels with a stepless brightness regulation, special modes and even different colored output. It enables the most versatile usage in such an all-in-one flashlight.

► SRT7GT

Multi-output SmartRing Tactical Flashlight

Specifications

- + Runtime on lowest output level: 240h
- + CREE XP-L HI V3 LED
- + 1x18650 Battery
- + 2xCR123 Batteries

1000
Lumens

450
Meters



Third Generation Smart
Selector Ring Technology



Law
Enforcement



Weapon
Mounted




Search
& Rescue

Features

- + Infinitely Variable White Light
- + Red + Blue + Green + UV + 3 Special Modes
- + The 3rd Generation Smart Selector Ring combined with a tail switch
- + Anti-impact reverse polarity protection mechanism for shooting sports
- + The power indicator indicates the remaining battery power

Red Light



Low light tactical application,
protects night vision

Green Light




Hunting, observing,
or checking intricate documents

Blue Light



Blood tracking and oil stain inspection

Ultraviolet



Mining activities, medical investigation,
jewel/document/currency inspection

i Series

The i Series is another innovative product line of flashlights powered by the NITECORE 21700 i Series Battery, a patented proprietary 21700 rechargeable Li-ion battery featuring dual way output with positive and negative polarities at both ends and a high energy density. The state-of-the-art design and the most advanced technology integrated in a single tube make it the ultimate choice to meet the tactical needs.

► i4000R



Future Oriented 21700 Intelligent Tactical Flashlight

Specifications

- + Runtime on lowest output level: 380h
- + 4 CREE XP-L2 V6 LEDs
- + 1 x NL2150HPi Battery
- + 2 x CR123 Batteries

4400
Lumens

230
Meters

STROBE READY!
ULTIMATE ONE-HANDED OPERATION



NTR10



Law
Enforcement



Self
Defense



Search
& Rescue

Features

- + NTR10 Tactical Ring Pro compatible
- + 2nd Generation Inset Pedal Design with dual tail switches
- + Anti-impact reverse polarity protection mechanism for shooting sports
- + Dual power indicators indicate the remaining battery power



INDEPENDENTLY CONTROLLED QUADRUPLE LEDS

Powered by a constant current circuit to provide
a durable usage with guaranteed safety.

Chameleon Series

The Chameleon series is yet another unique and innovative offering from NITECORE. Featuring two groups of LEDs and an easy switching mechanism, the latest CI7 can provide an ultra high output for each group while bringing unlimited possibilities for our flashlight design. Simply push the head outwards and rotate the head clockwise or counterclockwise to switch between the beams. The industry-leading design of the Chameleon series is another proof of NITECORE's capacity for innovation.

► CU6

Multi-output Tactical UV Flashlight

Specifications

- + Runtime on lowest output level: 400h
- + CREE XP-G2 (R5) LED
- + Primary White Light
- + 1x18650 Battery
- + 2xCR123 Batteries
- + 365nm Ultraviolet Light

440
Lumens

3000
mW



A tactical flashlight with
Five individual light sources



Law
Enforcement



Weapon
Mounted

Features

- + Primary White Light + UV
- + Auxiliary Red + Blue + Green + 4 Special Modes
- + Combination of dual side switches and a tail switch
- + Anti-impact reverse polarity protection mechanism for shooting sports
- + The power indicator indicates the remaining battery power



► CI7

STROBE READY™ Dual Output Tactical IR Flashlight

Specifications

- + Runtime on lowest output level: 130h
- + 4 CREE XP-G3 S3 LEDs
- + 4 SST-10-IR LEDs
- + 1x18650 Battery
- + 2xCR123 Batteries

2500
Lumens

279
Meters

7000
mW

940
nm

STROBE READY!
ULTIMATE ONE-HANDED OPERATION



NTR10

Night Vision
Devices Compatible



Law
Enforcement




Weapon
Mounted



Search
& Rescue

Features

- + NTR10 Tactical Ring Pro compatible
- + 2nd Generation Inset Pedal Design with dual tail switches
- + Easy dual beam switching mechanism between IR and white beams
- + Tactical Mode and Daily Mode available for the white beam
- + STROBE Mode uses randomly changing frequencies for stronger dizzying effects
- + The power indicator indicates the remaining battery power




The IR beam of the CI7 utilizes 4 x SST-10-IR LEDs
(wavelength 940nm) available with 3 output levels.



LOW
1000mW



MID
3000mW




HIGH
7000mW

One Hand Operable Interface



Tactical Tail Switch
For Momentary-on
and Constant-on Illumination



STROBE READY™ Mode Button
For Output Adjustment and Accessing
STROBE READY™

Rechargeable Series

Rechargeable Series are aimed at your ultimate maneuver. The smart charging docks keep your flashlights always fully-powered for any abrupt cases. With power-boosted proprietary Li-ion batteries, the Rechargeable Series flashlights are capable of emitting blinding blaze in no time, smashing up darkness and violence for your law enforcement and tactical tasks.

► R40 V2



Inductive Wireless Charging Flashlight

Specifications

- + Rechargeable
- + Runtime on lowest output level: 1200h
- + CREE XP-L2 V6 LED
- + 1xNL2150DW Battery

1200
Lumens

344
Meters



NL2150DW



Law
Enforcement



Search
& Rescue

Features

- + Triple charging ways available
- + Dual side switches design
- + Wall mount cradle and desktop cradle included for inductive wireless charging
- + AC adapter and 12V/24V car adapter included
- + The power indicator indicates the remaining battery power

Industry-Leading Wireless Charging Technology



Multitask Hybrid Series

NITECORE Multi-task Hybrid dual-fuel rechargeable flashlights are a popular line of highly versatile and practical illumination tools designed for a multitude of users and applications. Featuring a high-precision long-range reflector, well-spaced brightness settings plus various special modes, the Multitask Hybrid Series is the ultimate lighting tools for hunting, law enforcement, search and rescue.

► MH12 V2



Next Generation 21700 Dual Fuel Tactical Flashlight

Specifications

+ Rechargeable

- + Runtime on lowest output level: 1500h
- + CREE XP-L2 V6 LED
- + 1x21700 Battery
- + 1x18650 Battery
- + 2xCR123 Batteries

1200
Lumens

202
Meters

Features

- + Combination of a tail switch and a side switch
- + Tactical Mode and Daily Mode available
- + STROBE Mode uses randomly changing frequencies for stronger dizzying effects
- + The power indicator indicates the remaining battery power



Law
Enforcement




Self
Defense



S.O.S.
Search
& Rescue



Weapon
Mounted



Tactical Tail Switch



User-Friendly Metal Side Switch

► MH12GTS



Ultra Compact High Performance Dual Fuel Tactical Flashlight

Specifications

+ Rechargeable

- + Runtime on lowest output level: 250h
- + CREE XHP35 HD LED
- + 1x18650 Battery
- + 2xCR123 Batteries

1800
Lumens

226
Meters

Features

- + Combination of a tail switch and a side switch
- + STROBE Mode uses randomly changing frequencies for stronger dizzying effects
- + The power indicator indicates the remaining battery power



Law
Enforcement



Weapon
Mounted



Self
Defense



► MH12GT



Classic Design Ultra Compact Dual Fuel Tactical Flashlight

Specifications

+ Rechargeable

- + Runtime on lowest output level: 520h
- + CREE XP-L HI V3 LED
- + 1x18650 Battery
- + 2xCR123 Batteries

1000
Lumens

320
Meters

Features

- + Combination of a tail switch and a side switch
- + Reverse polarity protection
- + The power indicator indicates the remaining battery power



Law
Enforcement



Weapon
Mounted



Self
Defense

► MH27



Multi-output Dual Fuel Tactical Flashlight

Specifications

- + Rechargeable
- + Runtime on lowest output level: 708h
- + Cree XP-L HI V3 LED
- + 1x18650 Battery
- + 2xCR123 Batteries

1000
Lumens

462
Meters



Features

- + Primary White Light
- + Red + Blue + Green + 6 Special Modes
- + Combination of dual side switches and a tail switch
- + Anti-impact reverse polarity protection mechanism for shooting sports
- + The power indicator indicates the remaining battery power



Law
Enforcement



Self
Defense



Search
& Rescue



Weapon
Mounted

► MH27UV



Multi-output Dual Fuel Tactical UV Flashlight

Specifications

- + Rechargeable
- + Runtime on lowest output level: 708h
- + Cree XP-L HI V3 LED
- + 1x18650 Battery
- + 2xCR123 Batteries

1000
Lumens

500
mW



Features

- + Primary White Light
- + Red + Blue + UV + 6 Special Modes
- + Combination of dual side switches and a tail switch
- + Anti-impact reverse polarity protection mechanism for shooting sports
- + The power indicator indicates the remaining battery power



Law
Enforcement



Self
Defense



Search
& Rescue



Weapon
Mounted

► MH40GTR

Ultra Long Range Dual Fuel Tactical Flashlight

Specifications

- + Rechargeable
- + Runtime on lowest output level: 140h
- + CREE XP-L HI V3 LED
- + 2x18650 Batteries
- + 4xCR123 Batteries

1200
Lumens

1004
Meters



MH40GTR KIT



Features

- + Combination of dual mode switching mechanism and a tail switch
- + User-defined Mode available




Law
Enforcement



Weapon
Mounted



Search
& Rescue





► MH25GT



Long Range Dual Fuel Tactical Flashlight

Specifications

- + **Rechargeable**
- + Runtime on lowest output level: 36h
- + CREE XP-L HI V3 LED
- + 1x18650 Battery
- + 2xCR123 Batteries

1000
Lumens

452
Meters

Features

- + Combination of dual mode switching mechanism and a tail switch
- + User-defined Mode available



MH25GT KIT



Law
Enforcement



Self
Defense



Weapon
Mounted



Law
Enforcement



Self
Defense



Search
& Rescue



Weapon
Mounted

► MH25GTS



High Performance Dual Fuel Tactical Flashlight

Specifications

- + **Rechargeable**
- + Runtime on lowest output level: 250h
- + CREE XHP35 HD LED
- + 1x18650 Battery
- + 2xCR123 Batteries

1800
Lumens

304
Meters

Features

- + Combination of a tail switch and a side switch
- + STROBE Mode uses randomly changing frequencies for stronger dizzying effects
- + The power indicator indicates the remaining battery power



Multi-Task Series

Multi-Task Series is a line of highly versatile and practical illumination tools designed for a multitude of users and environments. With a convenient two-mode interface for an easy switch between TURBO and User-Defined Mode, the MT1A and MT2A are becoming the ultimate backup flashlights for police and military forces as they are powered by the AA batteries, one of the most commonly seen power sources.

► MT1A

Ultra Compact AA Tactical Flashlight

Specifications

- + Runtime on lowest output level: 60h
- + CREE XP-G2 R5 LED
- + 1xAA Battery

180
Lumens

115
Meters

Features

- + Combination of dual mode switching mechanism and a tail switch
- + User-defined Mode available



Law
Enforcement



Convenient
two-mode
interface



Law
Enforcement



► MT2A

Ultra Compact 2AA Tactical Flashlight

Specifications

- + Runtime on lowest output level: 50h
- + CREE XP-G2 R5 LED
- + 2xAA Batteries

345
Lumens

152
Meters

Features

- + Combination of dual mode switching mechanism and a tail switch
- + User-defined Mode available

T Series

The T series is a collection of mini lights. Small yet powerful, each light comes with multiple features in an extremely mini housing. With a built-in Li-ion battery and a Micro-USB port, it offers flexible charging options and ultimate convenience of use, making it the best gadget on the go that you will carry every day.

► TIKI

Mini Futuristic Keychain Light

Specifications

- + Rechargeable
- + Runtime on lowest output level: 40h
- + OSRAM P8 LED
- + Built-in Li-ion battery

300
Lumens

71
Meters

500
mW

Features

- + Primary White Light
- + High CRI White Light + UV
- + Single switch design

☐ High CRI White LED

☐ UV LED (500mW, 365nm)

☐ Red LED

☐ Blue LED



► TIKI LE

Mini Futuristic Keychain Light with Warning Signals

Specifications

- + Rechargeable
- + Runtime on lowest output level: 40h
- + OSRAM P8 LED
- + Built-in Li-ion battery

300
Lumens

71
Meters

3
Lumens

0.8
Lumens

Features

- + Primary White Light
- + Red + Blue + Warning Signals
- + Single switch design



Signal Lights

The NITECORE Signal Lights include the newly designed NU05 LE / NU05 MI which can be attached to the helmet in special operations or in quick deployments. The flashing colors and even IR modes when combined with night vision devices are able to indicate different grouping or to enable quick identification on team members of specific positions. The hook-and-loop attachment on the back ensure a firm and secure attachment to the helmet while they can also be easily clipped to the standard MOLLE system of a body armor or a backpack.

► NU05 MI



Mini IR Signal Light

Specifications

- + Rechargeable
- + IR 940nm
- + Built-in Li-ion Battery

Features

- + IR Light (940nm) Constant-on + Flashing
- + Green Light Constant-on + Flashing
- + Single switch design



Night Vision Devices
Compatible



Mini Signal Light
Military Version

Dual Light Sources with 4 Modes Available



IR Flashing




IR Beam



Green Flashing



Green Beam



Mini Signal Light
Law Enforcement Version

► NU05 LE



Mini Signal Light

Specifications

- + Rechargeable
- + 4 high performance LEDs
- + Built-in Li-ion battery



Features

- + Red, Green, Blue, White Flashing
- + Red & Blue Warning Signals
- + Single switch design

Multiple Flashing Modes Available



Green Flashing



Blue Flashing



White Flashing



Red Flashing



Red/Blue Police
Warning Flashing

► Thumb LEO



Mini Signal Light

Specifications

- + Rechargeable
- + Runtime on lowest output level: >48h
- + 365nm Ultraviolet Light
- + Built-in Li-ion battery

500
mW

24
Meters

Features

- + Primary White + UV Light
- + Red & Blue Warning Signals
- + Dual switch design



Law Enforcement Version



NU05 LE

Mini Signal Light
Law Enforcement Version



NU05 MI

Mini Signal Light
Military Version



THUMB LEO

Law Enforcement Version

Helmet Lights

The NITECORE Helmet Lights are specially designed for law enforcement, military, firefighting, search and rescue. The newly released HC60M and HC65M are equipped with a quick detachable NVG mount based on our award-winning headlamp design, while the NU32 features an ultra lightweight design to ease the burden of wearing or mounting.

► HC60M



High Performance Tactical Helmet Light With NVG Mount

Specifications

- + Rechargeable
- + Runtime on lowest output level: 680h
- + CREE XM-L2 U2 LED
- + 1x18650 Battery
- + 2xCR123 Batteries

1000
Lumens

117
Meters

Features

- + Single switch design
- + The power indicator indicates the remaining battery power



Law
Enforcement



Search
& Rescue

► HC65M



Triple Output Tactical Helmet Light With NVG Mount

Specifications

- + Rechargeable
- + Runtime on lowest output level: 800h
- + CREE XM-L2 U2 LED
- + 1x18650 Battery
- + 2xCR123 Batteries

1000
Lumens

110
Meters

Features

- + Primary White Light
- + High CRI White Light + Red
- + Single switch design
- + The power indicator indicates the remaining battery power



Law
Enforcement



Search
& Rescue

► NU32



Triple Output Ultra Lightweight Headlamp

Specifications

- + Rechargeable
- + Runtime on lowest output level: 330h
- + CREE XP-G3 S3 LED
- + Built-in Li-ion battery

550
Lumens

125
Meters

Features


- + Primary White Light
- + High CRI White Light + Red
- + Dual switch design
- + The power indicator indicates the remaining battery power



Law
Enforcement



Search
& Rescue



White


Red


CRI

► HM01

High Performance Helmet Light

320
Lumens





► NPL20

Compact Pistol Light

Specifications

- + Runtime on lowest output level: 1h
- + 1xCR123 Battery

460
Lumens

80
Meters



► NPL30SI

High Performance Pistol Light

1200
Lumens



► NPL30DI

Dual Output IR Pistol Light

600
Lumens

2500
mW

940
nm



► GM02 26-40

- + Picatinny Rail Mount
- + Specifications:
40x42x45mm / 1.6"x1.7"x1.8"



► GM02 26-65

- + Picatinny Rail Mount
- + Specifications:
65x42x45mm / 2.6"x1.7"x1.8"



► GM02 40-40

- + Picatinny Rail Mount
- + Specifications:
40x42x45mm / 1.6"x1.7"x1.8"



► GM02 40-75

- + Picatinny Rail Mount
- + Specifications:
75x42x45mm / 3.0"x1.7"x1.8"



► GM02MH

- + Magnetic Mount
- + Specifications:
50x50.2x60.34mm / 2.0"x2.0"x2.4"

► Tactical Ring Pro

The NTR10 is a tactical accessory to enable a unique and flexible way of carrying or operating a flashlight. It can be mounted on the specially designed slots of the latest NITECORE tactical flashlights according to the size of the user's hand.



NTR10





NTR10 Operation Guide



1 Compatible with NITECORE tactical holsters to enable a quick and precise operation of the flashlight



2 Used as a tactical striking knuckle when mounted on a flashlight



3 Dual ways of quick detachment to prevent pressure to the fingers



4 Create your unique and flexible way of carrying a flashlight



5 Strengthen your grip to avoid accidental harm to your wrist



► Tactical Remote Switch

Noiseless pressure pad switch capable of accessing momentary-on and constant-on illumination, professional and convenient operation making it ideal for law enforcement, hunting and more scenarios.

RSW1 / RSW1-1 fits flashlights with tail diameter of 1 inch, capable of accessing momentary-on and constant-on illumination.

RSW2 fits P10 V2, P20UV and P20 V2, capable of accessing STROBE READY™ and changing brightness levels as well as momentary-on and constant-on illumination.

RSW2D fits MH12GTS, MH25GTS, C17 and P22R, capable of accessing STROBE READY™ and changing brightness levels as well as momentary-on and constant-on illumination.

RSW3 fits NEW P12, NEW P30 and MH12 V2, capable of accessing momentary-on and constant-on illumination.




NTH25



► Tactical Holster

Specially Designed for Law Enforcement



360° Rotatable Mechanism

Compatible models:



P20 V2

P22R

i4000R

MH25GTS



Upgraded Lockout Design



NTH10



NTH20

► Rechargeable Li-ion Batteries



MODEL	SPECIFICATION	CAPACITY
NL1823	18650	2300mAh
NL1826	18650	2600mAh
NL1832	18650	3200mAh
NL1834	18650	3400mAh
NL1835	18650	3500mAh
NL166	16340	650mAh
NL1485	14500	850mAh
NL2140	21700	4000mAh
NL2145	21700	4500mAh
NL2150	21700	5000mAh

► Micro-USB/USB-C Rechargeable Li-ion Batteries



MODEL	SPECIFICATION	CAPACITY
NL1826R	18650	2600mAh
NL1834R	18650	3400mAh
NL1835R	18650	3500mAh
NL1665R	16340	650mAh
NL1475R	14500	750mAh
NL1829RLTP	18650	2900mAh
NL2140R	21700	4000mAh
NL2150R	21700	5000mAh
NL2150HPR	21700	5000mAh

► High Performance Batteries



MODEL	SPECIFICATION	CAPACITY	DISCHARGE CURRENT
NL1835HP	18650	3500mAh	8A
NL1829LTHP	18650	2900mAh	8A
IMR18650 3100mAh(C0.1M2B)	18650	3100mAh	10A
NL2140HP	21700	4000mAh	15A
NL2145HP	21700	4500mAh	15A
NL2150HP	21700	5000mAh	15A
NL2150HPR	21700	5000mAh	15A

► Low-temperature Resistant Batteries



MODEL	SPECIFICATION	CAPACITY	DISCHARGE CURRENT
NL1829LTP	18650	2900mAh	4A
NL1829LTHP	18650	2900mAh	8A
NL1829RLTP	18650	2900mAh	5A

► NTC1

Tactical Tail Cap



► NTL10

Tactical Lanyard



► NTL20

Tactical Lanyard



► Traffic Wand

NTW25, NTW32, NTW34, NTW40



► Crenulated Bezel

PVD bezel



► Diffuser

NDF25, NDF32, NDF34, NDF40



► Crenulated Bezel

Crenulated bezel



► Filters



MODEL	COMPATIBLE SIZE	COLOR
NFR23/NFG23/NFB23	22.5mm	RGB
NFR25/NFG25/NFB25	25.4mm	RGB
NFR34/NFG34/NFB34	34mm	RGB
NFR40/NFG40/NFB40	40mm	RGB
NFR50/NFG50	50mm	RG
NFR60/NFG60/NFB60	60mm	RGB
NFR70/NFG70	70mm	RG
NFD23	22.5mm	White
NFD25	25.4mm	White
NFD34	34mm	White
NFD40	40mm	White
NFD60	60mm	White



NITECORE®

Power Solution



► UM2

2 BATTERY SLOTS
USB CHARGING

Intelligent USB Dual-Slot Charger

UM2 SPEC

Compatible with	IMR/Li-ion/LiFePO4/Ni-MH/Ni-Cd
Input	DC 5V/2A 9V/2A 18W (MAX)
Output voltage	4.35V±1% / 4.2V±1% / 3.7V±1% / 1.48V±1%
Output current	QC Mode: 1,500mA*2 (MAX) Standard Mode: 1,000mA*2 (MAX)



► UM4

4 BATTERY SLOTS
USB CHARGING

Intelligent USB Four-Slot Charger

UM4 SPEC

Compatible with	IMR/Li-ion/LiFePO4/Ni-MH/Ni-Cd
Input	DC 5V/2A 9V/2A 18W (MAX)
Output voltage	4.35V±1% / 4.2V±1% / 3.7V±1% / 1.48V±1%
Output current	QC Mode: 1,500mA*1 (MAX), 1,500mA*2 (MAX), 750mA*4 (MAX) Standard Mode: 1,500mA*1 (MAX), 1,000mA*2 (MAX), 500mA*4 (MAX)

UM2 & UM4 COMPATIBLE WITH

IMR/Li-ion/LiFePO4: 10440, 14500, 14650, 16500, 16340 (RCR123), 16650, 17350, 17500, 17650, 17670, 17700, 18350, 18490, 18500, 18650, 18700, 20700, 21700, 22500, 22650, 25500, 26500, 26650, 26700
Ni-MH/Ni-Cd: AA, AAA, AAAA, C, D

► UMS2

2 BATTERY SLOTS
USB CHARGING

Intelligent USB Dual-Slot Superb Charger

UMS2 SPEC

Compatible with	IMR/Li-ion/LiFePO4/Ni-MH/Ni-Cd
Input	DC 5V/2A 9V/2A 18W (MAX)
Output voltage	4.35V±1% / 4.2V±1% / 3.7V±1% / 1.48V±1%
Output current	QC Mode: 3,000mA*1 (MAX), 2,000mA*2 (MAX) Standard Mode: 2,000mA*1 (MAX), 1,000mA*2 (MAX)



► UMS4

4 BATTERY SLOTS
USB CHARGING

Intelligent USB Four-Slot Superb Charger

UMS4 SPEC

Compatible with	IMR/Li-ion/LiFePO4/Ni-MH/Ni-Cd
Input	DC 5V/2A 12V/1.5A 18W (MAX)
Output voltage	4.35V±1% / 4.2V±1% / 3.7V±1% / 1.48V±1%
Output current	QC Mode: 3,000mA*1 (MAX), 2,000mA*2 (MAX), 1,000mA*4 (MAX) Standard Mode: 2,000mA*1 (MAX), 1,000mA*2 (MAX), 500mA*4 (MAX)



UMS2 & UMS4 COMPATIBLE WITH

IMR/Li-ion/LiFePO4:
10440, 14500, 14650, 16500, 16340 (RCR123), 16650, 17350, 17500, 17650, 17670, 17700, 18350, 18490, 18500, 18650, 18700, 20700, 21700, 22500, 22650, 25500, 26500, 26650, 26700
Ni-MH/Ni-Cd: AA, AAA, AAAA, C, D

► UI1

1 BATTERY SLOT
USB CHARGING

Portable USB Battery Charger

UI1 SPEC

Compatible with	IMR/Li-ion
Input	DC 5V/1A 5W
Output voltage	4.2V±1%
Output current	1000mA (MAX)



► UI2

2 BATTERY SLOTS
USB CHARGING

Portable Dual-Slot USB Battery Charger

UI2 SPEC

Compatible with	IMR/Li-ion
Input	DC 5V/2A 10W
Output voltage	4.2V±1%
Output current	1000mA*2 (MAX)



UI1 & UI2 COMPATIBLE WITH

IMR/Li-ion: 10340, 10350, 10440, 10500, 12340, 12500, 12650, 13450, 13500, 13650, 14430, 14500, 14650, 16500, 16340(RCR123), 16650, 17350, 17500, 17650, 17670, 18350, 18490, 18500, 18650, 20700, 21700, 22500, 22650, 25500, 26500, 26650



► F4

4 BATTERY SLOTS
USB CHARGING

Flexible Battery Charger & Power Bank

F4 SPEC

Compatible with	Li-ion / IMR
Input	DC 5V/2A
Capacity	60Wh (MAX)
Output voltage	4.2V±1% (BATTERY)/5V±5% (USB)
Output current	2*1A, 4*0.5A (Battery)/2*2A (USB)

F4 COMPATIBLE WITH

Li-ion / IMR: 18650





- Dimensions: 8.23" x 6.15" x 5.41"
(209mm x 156.3mm x 137.3mm)
- Weight: 3.35kg (7.39lbs)

► NPS200

Portable Outdoor Power Station

NPS200 SPEC

Cell	18650 Li-ion Batteries	
Capacity	196.56Wh (10.8V, 18.2Ah) (54600mAh)	
DC Input	14.4V-26V, up to 10A (160W max)	
AC Output	220V Version: 220V~0.68A 50Hz, Pure Sine Wave 110V Version: 110V~1.4A 60Hz, Pure Sine Wave	150W, 300W surge
Cig lighter port	12V=10A	Cig Lighter + DC Output: Total 120W max
DC Output	12V=10A	
USB Output	5V=2.4A	12W max each port
USB QC Output	5V=2.4A/9V=2A	18W max
USB-C Output	5V=3A/9V=3A/12V=3A/15V=3A/ 20V=3A	60W max
Operating temperature	-10~40°C (14~104°F)	



- Dimensions: 9.61" x 7.39" x 6.19"
(244mm x 187.7mm x 157.3mm)
- Weight: 5.68kg (12.52lbs)

► NPS400

Portable Outdoor Power Station

NPS400 SPEC

Cell	18650 Li-ion Batteries	
Capacity	421Wh (10.8V, 39Ah) (117000mAh)	
DC Input	14.4V-26V, up to 10A (160W max)	
AC Output	220V Version: 220V~1.36A 50Hz, Pure Sine Wave 110V Version: 110V~2.75A 60Hz, Pure Sine Wave	300W, 600W surge
Cig lighter port	12V=10A	Cig Lighter + DC Output: Total 120W max
DC Output	12V=10A	
USB Output	5V=2.4A	12W max each port
USB QC Output	5V=2.4A/9V=2A	18W max
USB-C Output	5V=3A/9V=3A/12V=3A/15V=3A/ 20V=3A	60W max
Operating temperature	-10~40°C (14~104°F)	

► NPS600

Portable Outdoor Power Station

NPS600 SPEC

Cell	21700 Li-ion Batteries	
Capacity	594Wh (10.8V, 55Ah) (165000mAh)	
DC Input	14.4V-26V, up to 10A (160W max)	
AC Output	220V Version: 220V~1.36A 50Hz, Pure Sine Wave 110V Version: 110V~2.75A 60Hz, Pure Sine Wave	300W, 600W surge
Cig lighter port	12V=10A	Cig Lighter + DC Output: Total 120W max
DC Output	12V=10A	
USB Output	5V=2.4A	12W max each port
USB QC Output	5V=2.4A/9V=2A	18W max
USB-C Output	5V=3A/9V=3A/12V=3A/15V=3A/ 20V=3A	60W max
Operating temperature	-10~40°C (14~104°F)	

- Dimensions: 9.61" x 7.39" x 6.19"
(244mm x 187.7mm x 157.3mm)
- Weight: 5.83kg (12.85lbs)

► NPB1

Waterproof Power Bank

NPB1 SPEC

Battery Type	21700 Li-ion Battery
Capacity	5,000mAh 3.64V (18.2Wh)
Rated Energy	3,200mAh 5V (TYP 1A)
Input	Micro-USB: 5V=2A
Output	USB-A: 5V=2.4A 9V=2A (18W MAX)
IP Rating	IP68



Waterproof

► NPB2

Waterproof Power Bank

NPB2 SPEC

Battery Type	21700 Li-ion Battery
Capacity	10,000mAh 3.64V (36.4Wh)
Rated Energy	6,400mAh 5V (TYP 1A)
Input	Micro-USB: 5V=2A 9V=2A
Output	USB-A: 5V=2.4A 9V=2A 12V=1.5A Single Port: 5V=2.4A 9V=2A 12V=1.5A Dual Ports: 5V=2.4A (18W MAX)
IP Rating	IP68



Waterproof

► NB10000

Ultra Lightweight Energy Brick Weight: 150g (5.29oz)

NB10000 SPEC

Cell	Li-ion
Capacity	10,000mAh 3.85V (38.5Wh)
Rated Energy	6,400mAh 5V (TYP 1A)
Input	USB-C: 5V=2.4A / 9V=2A
Output	USB-C: 5V=3A / 9V=2A / 12V=1.5A USB-A: 5V=3A / 9V=2A / 12V=1.5A Dual Ports: 5V=3A (MAX)
Dimensions	121.9mmx59mmx10.6mm (4.8" x 2.32" x 0.42")





NITECORE®

Tactical Gear





► **NTP30**

Titanium Bolt
Action Tactical Pen




► **NTP20**

Multi-functional
Titanium Tactical Pen




► **NTP21**

Multi-functional
Tactical Pen



► **NTP10**

Titanium
Tactical Pen




► **NTK05**

Titanium
Keychain Knife



► **NTK10**

Titanium
Utility Knife



► **1x20**

Red Dot Sight



- + Objective Lens Diameter: 20mm / 0.79"
- + Dimensions: 70x38x35mm / 2.76"x1.50"x1.38"
- + Weight: 118g / 4.16oz



► **1x22**

Red Dot Sight



- + Objective Lens Dimensions: 22x18mm / 0.87"x0.71"
- + Length: 49mm / 1.93"
- + Weight: 60g / 2.12oz



► **1-6x24 IR**

Rifle Scope



- + Tube Diameter: 30mm / 1.18"
- + Objective Lens Diameter: 24mm / 0.94"
- + Length: 287mm / 11.3"
- + Weight: 550g / 19.4oz



► **3-18x50 IR**

Rifle Scope



- + Tube Diameter: 30mm / 1.18"
- + Objective Lens Diameter: 50mm / 1.97"
- + Length: 378.5mm / 14.9"
- + Weight: 742g / 26.2oz



► BP20

Multi-Purpose Backpack

Specifications

Capacity: 20L / 1,220 cu in
Dimensions: 45cm x 28cm x 12cm / 17.7" x 11" x 4.7"
Weight: Approx. 1,500g / 3.3lbs



Winner of Small Backpacks
of TACTICAL GEAR Magazin



Ventilated back enhances air
circulation and lightens the burden



► BP25

Multi-Purpose Modular Backpack

Specifications

Capacity: 25L / 1,526 cu in
Dimensions: 45cm x 28cm x 16.5cm / 17.7" x 11" x 6.5"
Weight: Approx. 1,460g / 3.22lbs

NHL10



NHL20



NHL30



Customizable Modular
Expansions



Frontal
MOLLE System



Side
MOLLE System



Bottom
MOLLE System





Black



Ranger Green



Black



Ranger Green


► MP20

20L Modular Backpack



Features

- + Designed for commuters and overnights
- + Wearproof and water resistant 500D Nylon fabric
- + 20L main compartment with full opening
- + Laser cut MOLLE System for modular extensions
- + Interior design with combination of loop surface and MOLLE System
- + Outstanding carrying system increases the ergonomic comfort
- + Innovative straw/cable holes designed on top of both sides
- + 14" laptop/tablet compartment
- + Premium YKK zippers
- + UTX Duraflex buckles
- + Optional inner and outside modules available



Specifications

Capacity: 20L / 1,220 cu in
 Dimensions: 45cm x 27cm x 15cm / 17.7" x 10.6" x 5.9"
 Weight: Approx. 1,400g / 3.1lbs


► MP25

25L Modular Backpack




Features

- + Designed for long-duration operations, commuters and overnights
- + Wearproof and water resistant 500D Nylon fabric
- + 25L main compartment with full opening
- + Laser cut MOLLE System for modular extensions
- + Interior design with combination of loop surface and MOLLE System
- + Outstanding carrying system increases the ergonomic comfort
- + Innovative straw/cable holes designed on top of both sides
- + 14" laptop/tablet compartment
- + Premium YKK zippers
- + UTX Duraflex buckles
- + Optional inner and outside modules available



Specifications

Capacity: 25L / 1,526 cu in
 Dimensions: 50cm x 27cm x 17cm / 19.7" x 10.6" x 6.7"
 Weight: Approx. 1,500g / 3.3lbs



► MP30

30L Modular Backpack



Features

- + Designed for long-duration and long-distance operations
- + Excellent and flexible carrying capability in harsh environments
- + Wearproof and water resistant 500D Nylon fabric
- + 30L main compartment with full opening
- + Laser cut MOLLE System for modular extensions
- + Interior design with combination of loop surface and MOLLE System
- + Outstanding carrying system increases the ergonomic comfort
- + Innovative straw/cable holes designed on top of both sides
- + Premium YKK zippers
- + UTX Duraflex buckles
- + Optional inner and outside modules available



Specifications

Capacity: 30L / 1,831 cu in
 Dimensions: 58cm x 27cm x 17cm / 22.8" x 10.6" x 6.7"
 Aux Compartment: 33cm x 25cm x 6cm / 13.0" x 9.8" x 2.4"
 Weight: Approx. 1,600g / 3.5lbs



► MB SL

Slim Tactical Belt Pad



Features

- + 1000D Nylon
- + 5mm Eva lining
- + 3D mesh backing
- + D ring for suspender or accessories attachment
- + 1 1/2" Nylon woven belt with UTX side release buckle included
- + Additional Cobra belt available

Specifications

Width: 70mm / 2.76"
 Size: S 26-30" M 30-34" L 34-38" XL 38-42"

► MB LW

Lightweight Tactical Belt Pad



Features

- + 1000D Nylon
- + 5mm Eva lining
- + 3D mesh backing
- + D ring for suspender or accessories attachment
- + 2" Nylon woven belt with UTX side release buckle included

Specifications

Width: 95mm / 3.74"
 Size: S 26-30" M 30-34" L 34-38" XL 38-42"





Body Armor and Packs





► MBBL01

Lightweight Plate Carrier (Water Resistant Version)


Features

- + 500D Nylon with TPU water resistant coating
- + High frequency welding for excellent water-resistant performance
- + Laser-cut MOLLE System
- + Size readjustment device on the back
- + Ballistic plates and inserts available
- + Modular waist panel design
- + Upper back retractable life-saving handle
- + Back area quick storage system
- + Compatible with tactical belts and assault backpacks



Design

The MBBL01 is a lightweight plate carrier featuring outstanding water-resistant performance with a laser-cut MOLLE System for modular extensions, specially designed for naval military operations including sea patrols and amphibious battles. The quick storage system between the bulletproof vest and the backpack is designed to avoid interference with the shooting accuracy.



► MBBG01

Lightweight Assault System (LAS) Intermediate Laser-cut Vest

Features

- + Austrian Cobra quick-release buckles
- + Laser-cut MOLLE System
- + Life-saving rescue and dragging system
- + Replaceable unibody shoulder pads
- + Fast Switching System (FSS) on the waist and back areas
- + Innovative Modular Hook System (MHS) for quick readjustment



Design

The MBBG01 is the intermediate laser-cut vest of the Lightweight Assault System (LAS) designed for security guards, patrols, border control officers and peacekeeping forces. Optimized to tactical movements of the users, it greatly increases the ergonomic comfort by the 3-dimensional cutting design. Compared to the lightweight body armor, it is equipped with a soft protective layer to greatly increase the protective area.




► MBP15L

15L Modular Assault Backpack


Features

- + 1000D Nylon
- + Laser-cut MOLLE System
- + YKK waterproof zippers
- + UTX Mojave buckles
- + Carrying system with EVA foam
- + Straw hole on the top
- + Interfaces for tactical electronic devices
- + Concealed rain cover included



Design

The MBP15L is a 15L (915.4 cu in) modular assault backpack with a rounded body design and concealed zippers to avoid being hooked in the jungle areas. It is available for independent uses and compatible with body armor and plate carriers.



► MBBL05

Lightweight Assault System (LAS) Summer Hollow Vest

Features

- + Austrian Cobra quick-release buckles
- + Laser-cut MOLLE System
- + Air Flow Liners (AFL) for rapid sweat evaporation and quick dry
- + Fast Switching System (FSS) on the waist and back areas
- + Innovative Modular Hook System (MHS) for quick readjustment



Design

The MBBL05 is the summer hollow vest of the Lightweight Assault System (LAS) designed for universal usage of law enforcement and military operations, featuring quick release, quick dry, enhanced offensive and defensive performance. Optimized to tactical movements of the users, it greatly increases the ergonomic comfort by the 3-dimensional cutting design. The large hollow design also achieves an excellent cooling performance.



► MBT01

Tactical Belt

Features

- + Specially designed for military training, operations, patrols and daily duty
- + Laser-cut MOLLE System
- + 3-dimensional cutting
- + Trapezoidal protective areas
- + UTX buckles
- + Available for independent uses and compatible with modular extensions




► MBR01

Multifunctional Tactical Rifle Bag

Features

- + Suitable for rifles of 0.6-1.2m (1.97'-3.94') long
- + 1000D Nylon
- + Shooting bag and mattress interchangeable
- + 3 strips for binocular bags, rifle magazine pouches etc.
- + Detachable shoulder straps



► MBG01

Tactical Chest Bag

Features

- + Specially designed for military training and daily duty
- + Laser-cut MOLLE System
- + YKK waterproof zippers
- + UTX Mojave buckles
- + Hook-and-loop areas




► MBG02

Extended Rifle Magazine Pouch

Features

- + Laser-cut unibody design
- + Elastic cord linking
- + Multiple rifle mag sizes compatible
- + Universal and quick draw modes available



► MBG03

Quick Draw Rifle Magazine Pouch

Features

- + Laser-cut unibody design
- + Elastic cord linking
- + Multiple rifle mag sizes compatible




► MBG04

Pistol Magazine Pouch

Features

- + Laser-cut unibody design
- + Elastic band linking
- + Multiple pistol mag sizes compatible
- + Tactical flashlights and multi-tools compatible



► MBG05

Dual Pistol Magazine Pouch

Features

- + Laser-cut unibody design
- + Elastic band linking
- + Multiple pistol mag sizes compatible
- + Increased functionality and carrying compatibility



► MBG06

Quadruple Rifle Magazine Pouch

Features

- + Specially designed for military training and special forces operations
- + Laser-cut design
- + Available for independent uses and compatible with body armor and plate carriers
- + Enables quick draws for requirements of shooting sports



► MBG07

Octuple Chest Rig Pouch

Features

- + Specially designed for military training and special forces operations
- + Laser-cut design
- + UTX Mojave buckles
- + Detachable back strips
- + Available to carry 4 x rifle magazines, 2 x pistol magazines, 1 x walkie-talkie, 1 x compass, 1 x gadget
- + Available for independent uses and compatible with body armor and plate carriers




► MBG08

Vest Module

Features

- + Specially designed for military training and special forces operations
- + Laser-cut design
- + Outer MOLLE System
- + UTX Mojave buckles
- + Detachable back strips
- + Available for independent uses and compatible with body armor and plate carriers



► MBG09

Walkie-talkie Pouch

Features

- + Laser-cut unibody design
- + Elastic band linking
- + Multiple walkie-talkie sizes compatible



► MBG10

Radio Pouch

Features

- + Laser-cut unibody design
- + Elastic band linking
- + Multiple sizes of radio communication equipment compatible



► MBG11

Medical Pouch

Features

- + 1000D Nylon
- + Laser-cut MOLLE System
- + Interior and exterior hook-and-loop design
- + Two user modes including Tactical Mode and Duty Mode available
- + Elastic band and paracord compatible



► MBBC01

Inner Bulletproof Vest

Features

- + Elastic and breathable materials
- + Tactical cutting techniques
- + 3-side size readjustment
- + Laser-cut hook-and-loop areas
- + Frontal Fast Switching System (FSS) for LAS accessories





Apparel





► MAAB01

Short Sleeved T/B

Fabric Weight

80 GSM (2.4oz/yd²)

Applicable Temperature

10°C-38°C (50°F-100.4°F)

Design

The MAAB01 is a short-sleeved suit made by anti-UV yarn combined with waterproof materials with anti-hook, anti-pilling and anti-static features. It has a breathable and quick dry design for the ergonomic comfort in vigorous movements.



► MAAB02

Long Sleeved T/B

Fabric Weight

150 GSM (4.4oz/yd²)

Applicable Temperature

10°C (50°F)

Design

The MAAB02 is a long-sleeved suit featuring one-way-dry, bacteriostatic, antistatic, anti-UV techniques. Specially designed for cold environments, it has a loose and comfortable design suitable for daily wearing.

► MAAB03

FR Aramid Long Sleeved T/B

Fabric Weight

120 GSM (3.5oz/yd²)

Applicable Temperature

10°C (50°F)

Design

The MAAB03 is an aramid long sleeved suit specially designed for military operations. It is soft and comfortable with flame retardant, heat resistant and antistatic features.



► MAAB04

FR Polyimide Long Sleeved T/B

Fabric Weight

180 GSM (5.3oz/yd²)

Applicable Temperature

0°C (32°F)

Design

The MAAB04 is a polyimide long sleeved suit specially designed for military operations. It is soft and comfortable with excellent flame retardant, bacteriostatic and thermal performance.





► MAAT04

Summer Duty Uniform T/B

Features

- + Breathable, waterproof and quick dry materials
- + High strength elastic and wearproof techniques
- + Joint protection design
- + 3-dimensional cutting
- + YKK zippers
- + UTX buckles



Design


The MAAT04 is a summer duty uniform specially designed for military training and operations. With a superior modular design of simplicity and ergonomics, it is convenient to be readjusted and stored while also suitable for daily outdoor wearing.

► MAAT05

Summer Combat Uniform T/B

Features

- + Lightweight, elastic, quick dry and anti-hook Nylon
- + Waterproof, wearproof and one-way-dry materials
- + Soft shell materials
- + Joint protection design
- + Hook-and-loop areas
- + Zippered arm pockets for go-to gadgets



Design

The MAAT05 is a lightweight summer combat uniform specially designed for operations in hot environments. With a superior modular design, it greatly improves the flexibility and breathable performance while offering an outdoor protection for the joints of the wearer.

► MAAT06

Spring/Summer Combat Uniform T/B

Features

- + High strength and wearproof Nylon
- + High quality cotton camo
- + Fire retardant, waterproof and wearproof materials
- + Adjustable protective insets for elbows and knees available
- + Tactical cutting design
- + Breathable channel system



Design



The MAAT06 is a spring/summer combat uniform with multiple versions including Universal Version, Hot Climate Version and Special Forces Version. With a modular design, it guarantees the mobility of the wearer with basic protection, excellent heat dissipation and quick dry performance in vigorous movements.

► MAAT07

Fall/Winter Combat Uniform T/B

Features

- + Intermediate high strength Nylon
- + High quality anti-IR cotton camo
- + Adjustable protective insets for elbows and knees available
- + Multifunctional zippered pockets
- + Tactical cutting design on top
- + 3-dimensional cutting design on bottom



Design

The MAAT07 is a fall/winter combat uniform specially designed to provide protection and camouflage for operations in harsh environments. With multiple tactical designs, it greatly increases the efficiency of the wearer with large carrying capacity, ultimate flexibility and breathable performance.



► MAAI01

Short Fleece

Fabric Weight

200 GSM (5.9oz/yd²)

Applicable Temperature

0°C (32°F)

Design

The MAAI01 is a lightweight short fleece suit designed to keep warm in military operations, featuring windproof, breathable and excellent thermal performance.



► MAAI02

Long Fleece

Fabric Weight

260 GSM (7.7oz/yd²)

Applicable Temperature

-10°C (14°F)

Design

The MAAI02 is a strengthened long fleece suit designed to keep warm in military operations, featuring windproof, breathable and excellent thermal and compressible performance.

► MAAI03

FR Polyimide Fleece

Fabric Weight

360 GSM (10.6oz/yd²)

Applicable Temperature

-15°C (5°F)

Design

The MAAI03 is a polyimide fleece suit designed to keep warm in military operations. With a heat resistance of 400°C (752°F), it is soft and comfortable with excellent flame retardant, windproof, breathable and thermal performance.



► MAAI04

Soft Shell Fleece Coat

Fabric Weight

150 GSM (4.4oz/yd²)

Applicable Temperature

0°C (32°F)

Design

The MAAI04 is a soft shell fleece coat made by elastic materials with waterproof coating, featuring excellent, flame retardant, waterproof and thermal performance.





► MAAS01

Soft Shell Combat Coat

Fabric Weight

240 GSM (7.1oz/yd²)

Applicable Temperature

0°C (32°F)

Design

The MAAS01 is a soft shell combat coat specially designed for military operations in harsh environments, featuring excellent waterproof, breathable and windproof performance.

► MAAS03

Warm Parka T/B

Fabric Weight

200 GSM (5.9oz/yd²)

Applicable Temperature

-30°C (-22°F)

Design

The MAAS03 is a warm parka with the new nanofoam inset to provide a better dynamic thermal and waterproof performance compared to the ordinary velvet.



► MAAS02

Hard Shell Trench Coat T/B

Fabric Weight

228 GSM (6.7oz/yd²)

Applicable Temperature

-17°C (1.4°F)

Design

The MAAS02 is a hard shell trench coat specially designed for the harsh environments, featuring excellent waterproof, breathable, windproof and thermal performance with one-way-dry technique.

► MAAS04

EX Warm Parka T/B

Fabric Weight

200 GSM (5.9oz/yd²)

Applicable Temperature

-35°C (-31°F)

Design

The MAAS04 is an EX warm parka with the new nanofoam inset to provide a better dynamic thermal and waterproof performance compared to the ordinary velvet. It also has an excellent moisture proof feature and maintains more 90% of its warmth even in extremely humid environments.



■ PHOTO CREDITS

George Frantzeskakis
Hamzasarajlic
Jose Miguel
Nautilus Wolf
n1_airsoft_n1
Samef
Tactical China
Samolis
Xiao Yu
AJ Colores
Saboter



All images, text and statements specified herein this catalogue are for reference purpose only. Should any discrepancy occur between this catalogue and information specified on www.nitewing.com, information on our official website shall prevail. Sysmax Innovations Co., Ltd. reserves the rights to interpret and amend the content of this document at any time without prior notice.